



Creative Bus Sales, Inc.

www.creativebussales.com

(800) 326-2877 - Toll Free (909) 465-5529 - Fax



El Dorado Bus Sales

www.eldoradobussales.com

(888) 353-6287 - Toll Free (510) 728-7800 - Fax

Caltrans Type IV – Low Floor Minivan

ElDorado National Activan



Type IV - Accessible Minivan (ElDorado National - Activan)

State Procurement Equipment Features/Options:

Chassis: Chevrolet Venture **Engine:** 3.4 Liter V-6 Gasoline Engine

Flooring: The floor surface will be covered with commercial grade, anti-skid, floor covering. The color will be coordinated with the vehicle interior.

Alternator/Battery: Standard 105 amp alternator/600 CCA.

Wheelchair Securements: The securement system shall be Q'Straint Securement System model QRT Q 8100-A1 with Part number Q-8100-A1-H-L or approved equal. Retractors MUST be AUTOMATIC SELF-LOCKING and SELF-TENSIONING. The system(s) shall be flanged "L" continuous track mounted type, capable of securing a variety of common mobility aid designs and accommodate a wide range of occupant sizes. Each vehicle shall come with two retractable tie-down systems.

Vehicle Interlock: The interlock shall be a fully automatic, solid state, microprocessor-controlled unit (Ref. Intermotive ILIS 602G) or approved equal capable of self-diagnosis. Interlock shall utilize an LED display panel to show subsystem status. Interlock must prevent driving the vehicle with parking brake left on. Interlock must meet ADA Title 49 Lift Interlock requirements.

Seating: The passenger seat base is adapted to permit easy roll out for mobility aid access. The center seat is a two-passenger folding seat with a vinyl fold-up armrest to match seat color on the right side.

Rear Suspension: Chassis OEM package "Load Leveling and Height Control", load leveling air shock absorbers.

Air Conditioning: Each vehicle will have OEM front and rear mounted air conditioning, with separate fan controls for the front and rear.

Doors: Driver and passenger front doors manual driver-side door and curbside ADA passenger loading doors are standard on the minivan.

Option: Power Curbside Sliding Door

Radio: AM/FM radio with CD player.


Cruise Control: Tilt wheel with cruise control is standard.

Windows: The windows are tinted with the darkest tint available from Chevrolet. The rear window has a factory installed electric window defogger, wiper and washer.

Mobility Aid Ramp: The minivan has manually operated skid resistant folding ramp at the curbside passenger door which does not block the entrance for boarding ambulatory passengers by swinging out when folded up.

Safety Equipment: Fire extinguisher, Flare Set (3 Triangle), back-up alarm and first aid kit are installed in each vehicle.

Miscellaneous Equipment: A complete operations manual, warranty package and technical training video will be supplied with each vehicle.

		
Item	Description	Dimension
A	Overall Height of Van	70-1/2"
B	Overall Height of Van, (With Luggage Rack)	72-1/2"
C	Door Opening, Usable Height	56"
D	Interior Height at Center of Van	58"
E	Height at Floor, (Normal)	9-1/2"
F	Ground Clearance at Side Doors, (Normal)	5-5/8"
G	Ground Clearance at Frame, (Empty)	6-1/2"
H	Ground Clearance at Frame, (Loaded)	5-3/4"
I	Interior Width, (To Ramp Actuator)	55"
J	Interior Floor Length, (Flat Ramp Area)	56"
K	Overall Interior Floor Length	85"
L	Interior Width at Middle of Ramp	61-1/2"
M	Interior Width Behind Driver's Seat	58-1/2"
N	Ramp Length	54"
O	Ramp Length, (First Section Only)	29-1/2"
P	Usable Ramp Width (ADA Compliant)	30"

